

Payment Terminal Accessory

Technical Specification



Product Variants

Product Variant	Art. no.
Payment Terminal Wall Mount	904464010
Payment Terminal Single pole *	904460700
Payment Terminal Double pole	904461300
Payment Terminal Double Duo pole	904461310

* The Payment Terminal Single pole (art.no.904460700) is compatible with both the Single pole as the Single Duo pole

Housing

Dimensions (H x W x D mm)	Art.no.	Dimensions (H x W x D mm)
Payment Terminal Accessory	--	210 x 130 x 120 mm
Dimensions incl. Packaging	Art.no.	Dimensions (H x W x D mm)
Payment Terminal Accessory (Wall mounted)	904464010	155 x 245 x 165 mm
Payment Terminal Accessory for Eve Single pole	904460700	165 x 430 x 385 mm
Payment Terminal Accessory for Eve Double pole	904461300	165 x 430 x 385 mm
Payment Terminal Accessory for Eve Double Duo pole	904461310	165 x 430 x 385 mm
Dimensions without Packaging		Dimensions (H x W x D mm)
Payment Terminal Accessory (Wall mounted)	904464010	210 x 130 x 120
Payment Terminal Accessory for Eve Single pole	904460700	355 x 360 x 125
Payment Terminal Accessory for Eve Double pole	904461300	415 x 375 x 135
Payment Terminal Accessory for Eve Double Duo pole	904461310	335 x 130 x 140 mm
Weight incl. Packaging		
Payment Terminal Accessory (Wall mounted)	904464010	2.3 kg
Payment Terminal Accessory for Eve Single pole	904460700	5.0 kg
Payment Terminal Accessory for Eve Double pole	904461300	6.2 kg
Payment Terminal Accessory for Eve Double Duo pole	904461310	5.0 kg

Material and Colour

Material	AISI 304 Stainless Steel, Powder coating
Colour	RAL 7043 (Traffic grey B)



Operating Conditions

Operating temperature *

-25°C to +55°C

Humidity during operation

5% to 95% relative humidity, non-condensing

* The operating temperature is stated under the following condition: outside direct sunlight

Safety

Protection

Fuse gG 4A

Impact resistance

IK10 * *

Protection Class

2

* * IK09 for the Payter Apollo Terminal

Compatibility

The Payment Terminal Accessory is only compatible with the models listed below.

Compatible Eve Double Pro-line products variant	Art. no.
Eve Double Pro-line 3PH1CA BE	9044610 01
Eve Double Pro-line 3PH2CA BE	9044610 02
Eve Double Pro-line 3PH1CB	9044610 21
Eve Double Pro-line 3PH2CB	9044610 22
Eve Double Pro-line 1PH1CB	9044610 31
Eve Double Pro-line 1PH2CB	9044610 32

Compatible Eve Single Pro-line product variants *	Art. no.
Eve Single Pro-line 1PH T2	9044600 03
Eve Single Pro-line 1PH T2S	9044600 05
Eve Single Pro-line 3PH T2	9044600 23
Eve Single Pro-line 3PH T2S	9044600 25

Compatible Eve Single Pro-line DE product variants * *	Art. no.
Eve Single Pro-line DE 3PH T2	9044601 23

Compatible Eve Single S-line product variants *	Art. no.
---	----------


ALFEN
 POWER TO ADAPT

Eve Single S-line 1PH T2	9044606 03
Eve Single S-line 1PH T2S	9044606 05
Eve Single S-line 3PH T2	9044606 23
Eve Single S-line 3PH T2S	9044606 25

Compatible pole product variant	Art. no. of pole
Eve Single pole	8038730 36
Eve Single Duo pole	8038732 80
Eve Double pole	8038814 40
Eve Double Duo pole	8038813 90

* Eve Single charging stations with a fixed cable are currently not compatible

* * Eve Double DE chargers on a pole are not compatible

Custom retrofitted charging stations are not compatible

Electrical Characteristics

Input voltage	(1P+N 230 V \pm 10%)
Input current	0.48 A
Rated frequency	50 Hz
Standby power consumption	\leq 0.3 W

Compliance

Radio Equipment Directive	2014/53/EU
WEEE Directive	2012/19/EU
RoHS Directive	2011/65/EU
REACH Regulation	1907/2006/EC

Payment Terminal

Payment Terminal type	Payter Apollo
WEEE Directive	2012/19/EU